

--	--	--	--	--	--

2019 III 02

1100

J - 60

(E)

**MATHEMATICS & STATISTICS (40)**  
**(ARTS & SCIENCE)**

Time : 3 Hrs.

(7 Pages)

Max. Marks : 80

- Note :**
- (1) All questions are compulsory.
  - (2) Figures to the right indicate full marks.
  - (3) The question paper consists of 30 questions divided into **FOUR** sections **A, B, C, D**.
    - Section A contains 6 questions of 1 mark each.
    - Section B contains 8 questions of 2 marks each. (One of them has internal option)
    - Section C contains 6 questions of 3 marks each. (Two of them have internal options)
    - Section D contains 10 questions of 4 marks each. (Three of them have internal options)
  - (4) For each **MCQ**, correct answer must be written along with its **alphabet**,  
e.g. (a)..... / (b)..... / (c)..... / (d).....etc.  
In case of **MCQ** (Q. No. 1. to 6.) evaluation would be done for the first attempt only.
  - (5) Use of logarithmic table is allowed. Use of calculator is **not** allowed.
  - (6) In L. P. P. only rough sketch of graph is expected. Graph paper is **not** necessary.
  - (7) Start each section on new page only.



## SECTION - A

Select and write the most appropriate answer from the given alternatives for each question :

[6]

Q. 1. The principal solutions of  $\cot x = -\sqrt{3}$  are \_\_\_\_\_ . (1)

(a)  $\frac{\pi}{6}, \frac{5\pi}{6}$

(b)  $\frac{5\pi}{6}, \frac{7\pi}{6}$

(c)  $\frac{5\pi}{6}, \frac{11\pi}{6}$

(d)  $\frac{\pi}{6}, \frac{11\pi}{6}$

Q. 2. The acute angle between the two planes  $x + y + 2z = 3$  and  $3x - 2y + 2z = 7$  is \_\_\_\_\_ . (1)

(a)  $\sin^{-1}\left(\frac{5}{\sqrt{102}}\right)$

(b)  $\cos^{-1}\left(\frac{5}{\sqrt{102}}\right)$

(c)  $\sin^{-1}\left(\frac{15}{\sqrt{102}}\right)$

(d)  $\cos^{-1}\left(\frac{15}{\sqrt{102}}\right)$

Q. 3. The direction ratios of the line which is perpendicular to the lines with direction ratios  $-1, 2, 2$  and  $0, 2, 1$  are \_\_\_\_\_ . (1)

(a)  $-2, -1, -2$

(b)  $2, 1, 2$

(c)  $2, -1, -2$

(d)  $-2, 1, -2$

Q. 4. If  $f(x) = (1 + 2x)^{\frac{1}{x}}$ , for  $x \neq 0$  is continuous at  $x = 0$ , then  $f(0) =$  \_\_\_\_\_ . (1)

(a)  $e$

(b)  $e^2$

(c)  $0$

(d)  $2$



Q. 5.  $\int \frac{dx}{9x^2 + 1} = \underline{\hspace{2cm}}$ . (1)

(a)  $\frac{1}{3} \tan^{-1}(2x) + c$

(b)  $\frac{1}{3} \tan^{-1} x + c$

(c)  $\frac{1}{3} \tan^{-1}(3x) + c$

(d)  $\frac{1}{3} \tan^{-1}(6x) + c$

Q. 6. If  $y = ae^{5x} + be^{-5x}$ , then the differential equation is \_\_\_\_\_. (1)

(a)  $\frac{d^2y}{dx^2} = 25y$

(b)  $\frac{d^2y}{dx^2} = -25y$

(c)  $\frac{d^2y}{dx^2} = -5y$

(d)  $\frac{d^2y}{dx^2} = 5y$

### SECTION - B

Q. 7. Write the truth values of the following statements : [16]

(i) 2 is a rational number and  $\sqrt{2}$  is an irrational number.

(ii)  $2 + 3 = 5$  or  $\sqrt{2} + \sqrt{3} = \sqrt{5}$  (2)

Q. 8. Find the volume of the parallelopiped, if the coterminus edges are given by the vectors  $2\hat{i} + 5\hat{j} - 4\hat{k}$ ,  $5\hat{i} + 7\hat{j} + 5\hat{k}$ ,  $4\hat{i} + 5\hat{j} - 2\hat{k}$ . (2)

OR

Find the value of  $p$ , if the vectors  $\hat{i} - 2\hat{j} + \hat{k}$ ,  $2\hat{i} - 5\hat{j} + p\hat{k}$  and  $5\hat{i} - 9\hat{j} + 4\hat{k}$  are coplanar.

Q. 9. Show that the points A(-7, 4, -2), B(-2, 1, 0) and C(3, -2, 2) are collinear. (2)

Q. 10. Write the equation of the plane  $3x + 4y - 2z = 5$  in the vector form. (2)



Q. 11. If  $y = x^x$ , find  $\frac{dy}{dx}$ . (2)

Q. 12. Find the equation of tangent to the curve  $y = x^2 + 4x + 1$  at  $(-1, -2)$ . (2)

Q. 13. Evaluate:  $\int \frac{e^x(1+x)}{\cos^2(xe^x)} dx$  (2)

Q. 14. Evaluate:  $\int_0^{\frac{\pi}{2}} \sin^2 x dx$  (2)

**SECTION - C**

[18]

Q. 15. In  $\Delta ABC$ , prove that

$$\sin\left(\frac{B-C}{2}\right) = \left(\frac{b-c}{a}\right) \cos\left(\frac{A}{2}\right) \quad (3)$$

**OR**

Show that  $\sin^{-1}\left(\frac{5}{13}\right) + \cos^{-1}\left(\frac{3}{5}\right) = \tan^{-1}\left(\frac{63}{16}\right)$

Q. 16. If  $A(\bar{a})$  and  $B(\bar{b})$  are any two points in the space and  $R(\bar{r})$  be a point on the line segment  $AB$  dividing it internally in the ratio  $m : n$ , then prove that

$$\bar{r} = \frac{m\bar{b} + n\bar{a}}{m+n} \quad (3)$$

Q. 17. The equation of a line is  $2x - 2 = 3y + 1 = 6z - 2$ , find its direction ratios and also find the vector equation of the line. (3)



Q. 18. Discuss the continuity of the function

$$f(x) = \frac{\log(2+x) - \log(2-x)}{\tan x}, \text{ for } x \neq 0$$

$$= 1 \quad \text{for } x = 0$$

(3)

at the point  $x = 0$

Q. 19. The probability distribution of a random variable  $X$ , the number of defects per 10 meters of a fabric is given by

$x$	0	1	2	3	4
$P(X = x)$	0.45	0.35	0.15	0.03	0.02

(3)

Find the variance of  $X$ .

OR

For the following probability density function (p. d. f.) of  $X$ ,

find : (i)  $P(X < 1)$ , (ii)  $P(|X| < 1)$

$$\text{if } f(x) = \frac{x^2}{18}, \quad -3 < x < 3$$

$$= 0, \quad \text{otherwise}$$

Q. 20. Given is  $X \sim B(n, p)$ .


(3)

If  $E(X) = 6$ ,  $\text{Var.}(X) = 4.2$ , find  $n$  and  $p$ .

### SECTION - D

Q. 21. Find the symbolic form of the given switching circuit. Construct its switching table and interpret your result.

[40]



(4)



**Q. 22.** If three numbers are added, their sum is 2. If two times the second number is subtracted from the sum of first and third numbers we get 8 and if three times the first number is added to the sum of second and third numbers we get 4. Find the numbers using matrices. (4)

**Q. 23.** In  $\Delta ABC$ , with usual notations prove that

$$b^2 = c^2 + a^2 - 2ca \cos B \quad (4)$$

**OR**

In  $\Delta ABC$ , with usual notations prove that

$$(a-b)^2 \cos^2\left(\frac{C}{2}\right) + (a+b)^2 \sin^2\left(\frac{C}{2}\right) = c^2.$$

**Q. 24.** Find 'p' and 'q' if the equation

$$px^2 - 8xy + 3y^2 + 14x + 2y + q = 0 \text{ represents a pair of perpendicular lines.} \quad (4)$$

**Q. 25.** Maximize:  $z = 3x + 5y$  Subject to

$$x + 4y \leq 24, \quad 3x + y \leq 21,$$

$$x + y \leq 9, \quad x \geq 0, y \geq 0 \quad (4)$$

**Q. 26.** If  $x = f(t)$  and  $y = g(t)$  are differentiable functions of  $t$ , then prove that  $y$  is a differentiable function of  $x$  and

$$\frac{dy}{dx} = \frac{\frac{dy}{dt}}{\frac{dx}{dt}}, \text{ where } \frac{dx}{dt} \neq 0$$

Hence find  $\frac{dy}{dx}$  if  $x = a \cos^2 t$  and  $y = a \sin^2 t$ . (4)



Q. 27.  $f(x) = (x-1)(x-2)(x-3)$ ,  $x \in [0, 4]$ , find 'c' if LMVT can be applied. (4)

OR

A rod of 108 meters long is bent to form a rectangle. Find its dimensions if the area is maximum.

Q. 28. Prove that:  $\int \frac{dx}{\sqrt{x^2 + a^2}} = \log \left| x + \sqrt{x^2 + a^2} \right| + c$  (4)

Q. 29. Show that:  $\int_0^{\frac{\pi}{4}} \log(1 + \tan x) dx = \frac{\pi}{8} \log 2$  (4)

Q. 30. Solve the differential equation:

$$\frac{dy}{dx} + y \sec x = \tan x$$

(4)

OR

Solve the differential equation:

$$(x+y) \frac{dy}{dx} = 1$$

